ELSEVIER

Neuroscience Letters 263 (1999) 224–226

Neuroscience Letters

Contents to Volume 263

Volume 263, no. 1

Guidelines for the submission of manuscripts v

Hypothalamic-pituitary-adrenocortical and gonadal axes and sympathoadrenal activity of adult male rats prenatally exposed to morphine
I. Dutriez-Casteloot, F. Bernet, J.-F. Dedieu, D. Croix, C. Laborie, V. Montel, J. Lesage, J.-C. Beauvillain, J.-P. Dupouy (France) 1

Hydroxyacyl-CoA dehydrase and *trans*-2,3-enoyl-CoA reductase activities are consistent with long-chain fatty acid accumulation during rat brain development
A. Knoll, F. Sargueil, J. Salles, B. Garbay, K. Lucet-Levannier, C. Cassagne (France) 5

Endothelin-induced changes in intracellular calcium in human microglia
J.G. McLarnon, X. Wang, J.H. Bae, S.U. Kim (Canada) 9

The new chromogranin-like protein NESP55 is preferentially localized in adrenaline-synthesizing cells of the bovine and rat adrenal medulla
R. Bauer, C. Weiss, J. Marksteiner, A. Doblinger, R. Fischer-Colbrie, A. Laslop (Austria) 13

Alzheimer's amyloid β-peptide associated free radicals increase rat embryonic neuronal polyamine uptake and ornithine decarboxylase activity: protective effect of vitamin E
S.M. Yatin, M. Yatin, T. Aulick, K.B. Ain, D.A. Butterfield (USA) 17

Transforming growth factor β1 (TGFβ1) mRNA level correlates with magnetic resonance imaging disease activity in Multiple Sclerosis patients
A. Bertolotto, M. Capobianco, S. Malucchi, E. Manzardo, L. Audano, M. Bergui, G.B. Bradac, R. Mutani (Italy) 21

Mechanisms of apomorphine cytoxicity towards rat glioma C6 cells: protection by bovine serum albumin and formation of apomorphine-protein conjugates
R.S. El-Bachá, P. Netter, A. Minn (France) 25

Differential cholera-toxin sensitivity of supraspinal antinociception induced by the cannabinoid agonists Δ^9-THC, WIN 55,212-2 and anandamide in mice
R.B. Raffa, D.J. Stone Jr., S.J. Hipp (USA) 29

A functional magnetic resonance imaging study of listening comprehension of languages in human at 3 tesla-comprehension level and activation of the language areas
T. Nakai, K. Matsuo, C. Kato, M. Matsuzawa, T. Okada, G.H. Glover, T. Moriya, T. Inui (Japan, USA) 33

Interhemispheric differences in awake and sleep human EEG: a comparison between non-linear and spectral measures
E. Pereda, A. Gamundi, M.C. Nicolau, R. Rial, J. González (Spain) 37

Abnormal motor cortex organization contralateral to early upper limb amputation in humans
C. Dettmers, J. Liepert, T. Adler, R. Rzanny, M. Rijntjes, R. van Schayck, W. Kaiser, L. Brückner, C. Weiller (Germany) 41

Neural correlates of recognition memory with and without recollection in patients with Alzheimer's disease and healthy controls
I. Tendolkar, A. Schoenfeld, G. Golz, G. Fernández, K.-P. Kühl, R. Ferszt, H.-J. Heinze (Germany) 45

Procaine excites nociceptors in cultures from dorsal root ganglion of the rat
V. Vlachová, Z. Vitásková, L. Vyklický, R.K. Orkand (Czech Republic, USA) 49

Genetic differences in the antinociceptive effect of morphine and its potentiation by dextromethorphan in rats
A. Plesan, O. Hoffmann, X.-J. Xu, Z. Wiesenfeld-Hallin (Sweden) 53

Distinct ATP-activated currents in different types of neurons dissociated from rat dorsal root ganglion
C. Li, R.W. Peoples, T.H. Lanthorn, Z.-W. Li, F.F. Weight (USA, People's Republic of China) 57

Antisense of c-fos gene attenuates Fos expression in the spinal cord induced by unilateral constriction of the sciatic nerve in the rat
W. Huang, R.K. Simpson Jr. (USA) 61

Overexpression of a C-terminal fragment of Presenilin 1 delays anti-Fas induced apoptosis in Jurkat cells
J. Vézina, C. Tschopp, E. Andersen, K. Müller (Switzerland) 65

Saturable entry of ciliary neurotrophic factor into brain
W. Pan, A.J. Kastin, L.M. Maness, J.M. Brennan (USA) 69

Prolonged and concomitant induction of astroglial immunoreactivity of interleukin-1beta and interleukin-6 in the rat hippocampus after transient global ischemia
O. Orzyłowska, B. Oderfeld-Nowak, M. Zaremba, S. Januszewski, M. Mossakowski (Poland) 72

ELSEVIER

Neuroscience Letters 263 (1999) 224–226

Neuroscience Letters

Contents to Volume 263

Volume 263, no. 1

Guidelines for the submission of manuscripts v

Hypothalamic-pituitary-adrenocortical and gonadal axes and sympathoadrenal activity of adult male rats prenatally exposed to morphine
I. Dutriez-Casteloot, F. Bernet, J.-F. Dedieu, D. Croix, C. Laborie, V. Montel, J. Lesage, J.-C. Beauvillain, J.-P. Dupouy (France) 1

Hydroxyacyl-CoA dehydrase and *trans*-2,3-enoyl-CoA reductase activities are consistent with long-chain fatty acid accumulation during rat brain development
A. Knoll, F. Sargueil, J. Salles, B. Garbay, K. Lucet-Levannier, C. Cassagne (France) 5

Endothelin-induced changes in intracellular calcium in human microglia
J.G. McLarnon, X. Wang, J.H. Bae, S.U. Kim (Canada) 9

The new chromogranin-like protein NESP55 is preferentially localized in adrenaline-synthesizing cells of the bovine and rat adrenal medulla
R. Bauer, C. Weiss, J. Marksteiner, A. Doblinger, R. Fischer-Colbrie, A. Laslop (Austria) 13

Alzheimer's amyloid β-peptide associated free radicals increase rat embryonic neuronal polyamine uptake and ornithine decarboxylase activity: protective effect of vitamin E
S.M. Yatin, M. Yatin, T. Aulick, K.B. Ain, D.A. Butterfield (USA) 17

Transforming growth factor β1 (TGFβ1) mRNA level correlates with magnetic resonance imaging disease activity in Multiple Sclerosis patients
A. Bertolotto, M. Capobianco, S. Malucchi, E. Manzardo, L. Audano, M. Bergui, G.B. Bradac, R. Mutani (Italy) 21

Mechanisms of apomorphine cytoxicity towards rat glioma C6 cells: protection by bovine serum albumin and formation of apomorphine-protein conjugates
R.S. El-Bachá, P. Netter, A. Minn (France) 25

Differential cholera-toxin sensitivity of supraspinal antinociception induced by the cannabinoid agonists Δ^9-THC, WIN 55,212-2 and anandamide in mice
R.B. Raffa, D.J. Stone Jr., S.J. Hipp (USA) 29

A functional magnetic resonance imaging study of listening comprehension of languages in human at 3 tesla-comprehension level and activation of the language areas
T. Nakai, K. Matsuo, C. Kato, M. Matsuzawa, T. Okada, G.H. Glover, T. Moriya, T. Inui (Japan, USA) 33

Interhemispheric differences in awake and sleep human EEG: a comparison between non-linear and spectral measures
E. Pereda, A. Gamundi, M.C. Nicolau, R. Rial, J. González (Spain) 37

Abnormal motor cortex organization contralateral to early upper limb amputation in humans
C. Dettmers, J. Liepert, T. Adler, R. Rzanny, M. Rijntjes, R. van Schayck, W. Kaiser, L. Brückner, C. Weiller (Germany) 41

Neural correlates of recognition memory with and without recollection in patients with Alzheimer's disease and healthy controls
I. Tendolkar, A. Schoenfeld, G. Golz, G. Fernández, K.-P. Kühl, R. Ferszt, H.-J. Heinze (Germany) 45

Procaine excites nociceptors in cultures from dorsal root ganglion of the rat
V. Vlachová, Z. Vitásková, L. Vyklický, R.K. Orkand (Czech Republic, USA) 49

Genetic differences in the antinociceptive effect of morphine and its potentiation by dextromethorphan in rats
A. Plesan, O. Hoffmann, X.-J. Xu, Z. Wiesenfeld-Hallin (Sweden) 53

Distinct ATP-activated currents in different types of neurons dissociated from rat dorsal root ganglion
C. Li, R.W. Peoples, T.H. Lanthorn, Z.-W. Li, F.F. Weight (USA, People's Republic of China) 57

Antisense of c-fos gene attenuates Fos expression in the spinal cord induced by unilateral constriction of the sciatic nerve in the rat
W. Huang, R.K. Simpson Jr. (USA) 61

Overexpression of a C-terminal fragment of Presenilin 1 delays anti-Fas induced apoptosis in Jurkat cells
J. Vézina, C. Tschopp, E. Andersen, K. Müller (Switzerland) 65

Saturable entry of ciliary neurotrophic factor into brain
W. Pan, A.J. Kastin, L.M. Maness, J.M. Brennan (USA) 69

Prolonged and concomitant induction of astroglial immunoreactivity of interleukin-1beta and interleukin-6 in the rat hippocampus after transient global ischemia
O. Orzyłowska, B. Oderfeld-Nowak, M. Zaremba, S. Januszewski, M. Mossakowski (Poland) 72

Volume 263, nos. 2,3

The modulation of excitatory synaptic transmission by adenosine in area CA1 of the rat hippocampus is temperature dependent
L.M. Grover, C. Yan (USA) 77

Elevated expression of neurotrophin-3 mRNA in sensory nerve of streptozotocin-diabetic rats
F. Cai, D.R. Tomlinson, P. Fernyhough (UK) 81

Quantitative relationship between fluctuations of blood pressure and sympathetic nerve activity in pentobarbital anesthetized rats
M.L. Tsai, F.-Z. Shaw, C.-T. Yen (Taiwan) 85

Expression of nitric oxide synthase in the developing rat hippocampus
G.C. Moritz, F. Tenorio, S. Allodi, R. Mendez-Otero (Brazil) 89

Leptin modulates fast synaptic transmission in dog pancreatic ganglia
L. Sha, J.H. Szurszewski (USA) 93

Flunarizine enhances functional recovery following sciatic nerve crush lesion in rats
I.K. Patro, M. Chattopadhyay, N. Patro (India) 97

Enzyme histochemical identification of microglial cells in the retina of a fish (*Tinca tinca*)
A. Velasco, D. Jimeno, C. Lillo, E. Caminos, J.M. Lara, J. Aijón (Spain) 101

The alkylating agent EEDQ facilitates protease-mediated degradation of the human brain α_{2A}-adrenoceptor as revealed by a sequence-specific antibody
A. Ozaita, P.V. Escribá, J.A. García-Sevilla (Spain) 105

Ischemia-induced changes in 2′-5′-oligoadenylate synthethase mRNA levels in rat brain: comparison with changes produced by perturbations of endoplasmic reticulum calcium homeostasis in neuronal cell cultures
W. Paschen, S. Althausen, J. Doutheil (Germany) 109

Changes of intracortical inhibition during motor imagery in human subjects
G. Abbruzzese, A. Assini, A. Buccolieri, R. Marchese, C. Trompetto (Italy) 113

Group I and II metabotropic glutamate receptor expression in cultured rat spinal cord astrocytes
G.A. Silva, E. Theriault, L.R. Mills, P.S. Pennefather, C.J. Feeney (Canada) 117

The human superior cervical ganglion: neuropeptides and peptide receptors
J. Tajti, S. Möller, R. Uddman, I. Bodi, L. Edvinsson (Sweden, Hungary) 121

The role of inositol trisphosphate-induced Ca^{2+} release from IP_3-receptor in the rat suprachiasmatic nucleus on circadian entrainment mechanism
T. Hamada, S.-Y. Liou, T. Fukushima, T. Maruyama, S. Watanabe, K. Mikoshiba, N. Ishida (Japan) 125

A novel mutation in the apolipoprotein E gene (*APOE*4 Pittsburgh*) is associated with the risk of late-onset Alzheimer's disease
M.I. Kamboh, C.E. Aston, J. Perez-Tur, E. Kokmen, R.E. Ferrell, J. Hardy, S.T. DeKosky (USA) 129

Cortical visual processing is temporally dispersed by luminance in human subjects
T. Kammer, L. Lehr, K. Kirschfeld (Germany) 133

Sequential stimulation of rat and guinea pig cerebellar granular cells in vitro leads to increasing population activity in parallel fibers
D. Heck (Germany) 137

An intronic domain within the rat preprotachykinin-A gene containing a CCCT repetitive motif acts as an enhancer in differentiating embryonic stem cells
C.E. Fiskerstrand, E. Lovejoy, L. Gerrard, J.P. Quinn (UK) 141

The fast activating potassium current, $I_{K,f}$, in guinea-pig inner hair cells is regulated by protein kinase A
D.J. Jagger, J.F. Ashmore (UK) 145

Decreased accumulation of endogenous brain-derived neurotrophic factor against constricting sciatic nerve ligatures in streptozotocin-diabetic and galactose-fed rats
A.P. Mizisin, P.S. DiStefano, X. Liu, D.N. Garrett, J.R. Tonra (USA) 149

Brain-derived and glial cell line-derived neurotrophic factors protect a catecholaminergic cell line from dopamine-induced cell death
L. Gong, R.J. Wyatt, I. Baker, J.M. Masserano (USA) 153

Administration of an aldose reductase inhibitor, ONO-2235, to streptozotocin-diabetic mice restores reductions of DRG neuronal attachment to extracellular matrix proteins in vitro
K. Sango, H. Horie, S. Inoue (Japan) 157

Insulin-degrading enzyme in the Alzheimer's disease brain: prominent localization in neurons and senile plaques
H.-G. Bernstein, S. Ansorge, P. Riederer, M. Reiser, L. Frölich, B. Bogerts (Germany) 161

Calpain inhibitor I retards seizure offset in the hippocampus of freely moving rats
G. Sierra-Paredes, J. Manuel Cornes, G. Sierra-Marcuño (Spain) 165

Carnosine and taurine protect rat cerebellar granular cells from free radical damage
A.A. Boldyrev, P. Johnson, Y. Wei, Y. Tan, D.O. Carpenter (Russia, USA) 169

p73 gene transcripts in human brain tumors: overexpression and altered splicing in ependymomas
H. Loiseau, J. Arsaut, J. Demotes-Mainard (France) 173

Focal enhancement of chaotic strange attractor dimension in the left semantic (Wernicke) human cortex during reading without concomitant change in vigilance level
C. Tomberg (Belgium) 177

Unconscious attention manifested in non-averaged human brain potentials by optional short-latency cognitive electrogeneses without subsequent P300
C. Tomberg (Belgium) 181
Neurosteroid modulation of dendrodendritic inhibition in the mouse olfactory bulb
M. Usui, Y. Kawasaki, H. Kaba (Japan) 185
Vitamin E and β-carotene protect against ethanol combined with ischemia in an embryonic rat hippocampal culture model of fetal alcohol syndrome
J.J. Mitchell, M. Paiva, M.B. Heaton (USA) 189
KA-672 inhibits rat brain acetylcholinesterase in vitro but not in vivo
M. Hilgert, M. Nöldner, S.S. Chatterjee, J. Klein (Germany) 193
Energy metabolism inhibition impairs amyloid precursor protein secretion from Alzheimer's fibroblasts
L. Gasparini, L. Benussi, A. Bianchetti, G. Binetti, D. Curti, S. Govoni, S. Moraschi, M. Racchi, M. Trabucchi (Italy) 197
Cocaethylene synthesis in *Drosophila*
G. Torres, J.M. Horowitz (USA) 201
Study of the association between the serotonin transporter gene regulatory region polymorphism and personality traits in a Japanese population
C. Kumakiri, K. Kodama, E. Shimizu, N. Yamanouchi, S.-i. Okada, S. Noda, H. Okamoto, T. Sato, H. Shirasawa (Japan) 205
Voltage-gated, margatoxin-sensitive potassium channels, but not calcium-gated, iberiotoxin-sensitive potassium channels modulate acetylcholine release in rat striatal slices
H.S. Fischer, A. Saria (Austria) 208
Cardiovascular changes associated with spontaneous and evoked K-complexes
P. Monstad, C. Guilleminault (USA) 211
Extracellular matrix-modulated differential invasion of human meningioma cell lines in vitro
H.K. Rooprai, K. Liyanage, S.F.D. Robinson, A. Kandanearatchi, A.F. Dean, G.J. Pilkington (UK) 214
The –491A/T polymorphism of the Apolipoprotein E gene is associated with the *ApoEε4* allele and Alzheimer's disease
A.R.H. Ahmed, S.H. MacGowan, D. Culpan, R.W. Jones, G.K. Wilcock (UK) 217

Author Index to Volume 263 220
Contents to Volume 263 224
Contents continued 227